

MAGBEAST®

JEI
Solutions
Built for Industry

MAGBEAST® HM50TS

A HEAVY DUTY 2 MORSE TAPER DRILLING MACHINE, FEATURING VARIABLE SPEED AND REVERSE FUNCTION WITH SWIVEL BASE.



- ✓ Variable speed, high torque motor. Ideal for countersinking and reaming.
- ✓ Reverse speed motor ideal for threading (tapping) holes.
- ✓ Lightweight. Only 16.5 kg yet can cut up to 50 mm diameter.
- ✓ Maintenance friendly twin slide rails.
- ✓ No wearing parts and adjustment free operation.
- ✓ Ideal for drilling holes close together without moving machine.
- ✓ Ideal for special project work.



A HEAVY-DUTY 2 MORSE TAPER DRILLING MACHINE, THE MAGBEAST® HM50TS IS IDEAL FOR TAPPING COUNTERSINKING AND REAMING. A LIGHTWEIGHT OPTION, WEIGHING AT ONLY 16.5 KG, THAT CAN CUT UP TO 50MM IN DIAMETER.

CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM

WWW.JEIUK.COM

MAGBEAST HM50TS

JEI Solutions



WHY THE MAGBEAST® HM50TS?



CALL 01706 229 490 TO BOOK YOUR DEMONSTRATION NOW OR VISIT WWW.JEIUK.COM

MAGBEAST®

JEI
Solutions
Built for Industry



MAGBEAST® HM50TS SPECIFICATIONS

Model: HM50TS

Spindle: MT2

Weight: 16.5 kg

Max Stroke: 150 mm

Cutter Capacity: 50 mm Ø x 4" depth of cut

Twist Drill Capacity: 13 mm with 2MT Chuck / 23 mm with 2MT Twist Drill

Countersink Capacity: 40 mm

Tapping Capacity: M20

Reaming Capacity: 22 mm (19 mm shank)

Motor: 1150 W (110 V) 1250 W (240 V)

RPM: 2 Variable Speeds, 180–430, 100–250 RPM

Swivel Base: 360 degree swivel base

Height min/max: 380 / 570 mm

Length x Width: 280 x 170 mm

Magnetic Base L x W: 90 x 180 mm

Magnet Deadlift: 1250 kg on 1" Plate (12000 N)

Noise Level: < 90dB

Vibration Level: < 2.5 m/s²

Voltage/ Part no: 110 V – DRILL-HM50TS/240 V – DRILL-HM50TS/2

Shipping Weight: 22 kg

Shipping Dimensions: 490 x 380 x 200 mm

CALL **01706 229 490** TO BOOK YOUR DEMONSTRATION NOW OR VISIT **WWW.JEIUK.COM**

WWW.JEIUK.COM

MAGBEAST HM50TS

JEI Solutions

